Amendments to the Claims

1	Claim 1 (previously presented): A computer-implemented method of programmatically building
2	queries, comprising:
3	programmatically building a query user interface for building a query command to query
4	content of a Web page that lacks an already-existing query user interface, further comprising:
5	programmatically determining a current context of a user of a device on which the
6	Web page is rendered, the current context comprising at least one of: an identification of the
7	user; a role of the user; the device used by the user; a geographical location of the user; and
8	preferences of the user;
9	programmatically determining a plurality of content values specified in the Web
10	page;
11	programmatically determining, based on the specified content values, a plurality of
12	content types corresponding thereto;
13	using the programmatically-determined current context and at least one of the
14	programmatically-determined content types to consult a lookup component, thereby obtaining at
15	least two query parameter names for displaying on the programmatically-built query user
16	interface;
17	programmatically identifying, for each of the obtained query parameter names, at
18	least one selectable query qualifier corresponding thereto, wherein each of the selectable query
19	qualifiers indicates a particular comparison to be performed if subsequently comparing selected
20	ones of the content values to that query parameter name;
21	programmatically identifying, for each of the obtained query parameter names, at

least one selectable parameter value corresponding thereto;

22

2.3

24

25

26 27

28 29

30

31

32

33

34

35 36

37 38

1

2

programmatically building a plurality of query parameters by associating, with each of the obtained query parameter names, each of the at least one programmatically-identified selectable query qualifiers corresponding thereto and each of the at least one programmatically-identified selectable parameter values corresponding thereto; and

displaying on the query user interface, for each of the programmatically-built query parameters, the obtained query parameter name, a first selector for selecting one of the at least one query qualifiers associated therewith and a second selector for selecting at least one of the at least one parameter values associated therewith; and

accepting input from the user to build the query command to query the Web page, further comprising:

accepting, from the user for each of the displayed query parameter names, one of the associated query qualifiers selected by the user with the first selector and at least one of the associated parameter values selected by the user with the second selector; and

programmatically building the query command to specify, for each of the displayed query parameter names, the selected query qualifier and each of the at least one selected parameter values.

Claims 2 - 3 (canceled)

Claim 4 (previously presented): The method according to Claim 1, further comprising:

programmatically identifying at least one query extension parameter for the query

command, responsive to a request from the user, further comprising:

using the programmatically-determined current context and at least one of the obtained query parameter names to consult a mapping, thereby obtaining a related query parameter name;

programmatically identifying at least one selectable query qualifier corresponding to the obtained related query parameter name, wherein each of the selectable query qualifiers indicates a particular comparison to be performed if subsequently comparing selected ones of the content values to the obtained related query parameter name;

programmatically identifying at least one selectable parameter value corresponding to the obtained related query parameter name; and

programmatically building the query extension parameter by associating, with the obtained related query parameter name, the programmatically-identified at least one selectable query qualifier corresponding thereto and each of the at least one programmatically-identified selectable parameter values corresponding thereto; and

wherein the displaying further comprises also displaying the programmatically-built query extension parameter for each of the at least one programmatically-identified query extension parameters as additional ones of the programmatically-built query parameters.

Claims 5 - 25 (canceled)